



Matador

MATRIX ACTIVE SOIL SURFACTANT

Innovative block polymer technology designed to establish and maintain consistent moisture level in the root zone

PRIMARY FUNCTIONING AGENTS

Alkyl Block Polymer.....100%

Weight per gallon: 8.5 lbs
pH: 7.5

The information contained in this brochure is believed to be accurate and reliable. It is provided as a means of explaining the products for the benefit of the potential user. EnP Investments cannot be held responsible for any unintentional errors in description of usage due to errors or omissions. EnP Investments further warrants that the products represented in this brochure conforms to the chemical description and are reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. EnP Investments shall not be responsible for incidental or consequential damages resulting from the use of any product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to EnP Investments.

MATADOR

- Matador is a safe non-ionic wetting agent.
- Matador works by attaching to hydrophobic coatings found in certain soil profiles reducing water repellency.
- Matador balances the root zone moisture conditions which: Improves oxygen levels—Increases microbial activity—Improves plant stress tolerance— Increases plant metabolism—Increases overall plant health.
- Matador is safe to use on all types of turf throughout the growing season.

GENERAL USE GUIDE

This product can be mixed with liquid fertilizers and other surfactants. Always perform a compatibility test before tank mixing.

Curative Application: Golf Course Greens, Tees, & Fairways	Apply 6.0 fl oz in 1 to 2 gallon of water per 1,000 sq ft. Water in with sufficient irrigation to move product well into the root zone. Follow up application should be made on 4 week intervals (see Turf Maintenance Rates below).
Maintenance Rates: Golf Course Greens, Tees & Fairways	Apply 2.0 fl oz per 1,000 sq ft every 2 weeks or apply 4.0 fl oz per 1,000 sq ft every 4 weeks. Rates or intervals may have to be adjusted depending on soil and environmental conditions.
Lawn Care Athletic Fields Sod Installation	Apply 2.0 to 4.0 quarts per acre. Repeat every 4 to 8 weeks during the growing season. Rates and spray intervals will vary according to soil and environmental conditions.
Sod Pre Cutting	Apply 1 to 2 gallon per acre using 50 to 100 gallons of water per acre 2 to 3 weeks before cutting. Water in application with at least 1 inch of water.
Spreader/Activator	Apply 2.0 to 4.0 fl oz per 100 gallons of spray mixture. In difficult wetting situations such as hard water, the addition of a pH reducing agent is recommended.